









# ENLIGHTENING PLAST

[www.enlightening-plast.com](http://www.enlightening-plast.com)




# OUR PARTNERS



## TABLE OF CONTENTS

<p><b>1</b> GRID SURFACE   3 RUNNERS</p> <p><b>2</b> FLAT SURFACE   3 RUNNERS</p> <p><b>3</b> GRID SURFACE   6 RUNNERS</p> <p><b>4</b> GRID SURFACE   6 RUNNERS</p> <p><b>5</b> FLAT SURFACE   6 RUNNERS</p> <p><b>6</b> GRID SURFACE   9 LEGS NESTABLE</p> <p><b>7</b> FLAT SURFACE   9 LEGS NESTABLE</p> <p><b>8</b> GRID SURFACE   9 LEGS</p> <p><b>9</b> FLAT SURFACE   9 LEGS</p> <p><b>10</b> GRID SURFACE   REVERSIBLE</p> <p><b>11</b> GRID SURFACE   REVERSIBLE</p> <p><b>12</b> GRID SURFACE   REVERSIBLE</p> <p><b>13</b> FLAT SURFACE   REVERSIBLE</p> <p><b>14</b> FLAT SURFACE   REVERSIBLE</p> <p><b>15</b> SPILL PALLETS &amp; WATER BOTTLES PALLETS</p> <p><b>16</b> PALLET CONTAINERS</p> <p><b>17</b> PALLET CONTAINERS</p>	<p><b>18</b> PLASTIC WASTE BINS</p> <p><b>19</b> STACKABLE SOLID CRATES - FOOD GRADE</p> <p><b>20</b> STACKABLE SOLID CRATES - FOOD GRADE</p> <p><b>21</b> STACKABLE SOLID CRATES - INDUSTRIAL</p> <p><b>22</b> STACKABLE VENTED CRATES - FOOD GRADE</p> <p><b>23</b> STACKABLE VENTED CRATES - FOOD GRADE</p> <p><b>24</b> ATTACHED LID CONTAINER</p> <p><b>25</b> VENTED CRATES</p> <p><b>26</b> VENTED CRATES - STEEL HANDLE</p> <p><b>27</b> HANG AND SHELF BINS</p>
--	--




STATIC LOAD



DYNAMIC LOAD



RACKING LOAD



4 WAY ENTRY

### ABOUT US :

Enlightening is a medium-sized company, having 400 employees, established at 2000 based in China, having two huge manufacturing facilities located Shanghai, China

With total area of 90,000 meter square, 60 sets of production lines, and 700 Plastic injection molds

ENLIGHTENING Annual Turnover reach 90 -100 million us dollar, overseas sales make up 30% of the total value ,we are proud to be one of the biggest exporters for plastic pallets around the world.

Our sales team in china are covering more than 40 countries globally

Through hardworking and passion, the company has grown over the last 20 years into one of the leading Chinese manufacturers of transport and storage products made from synthetic materials. With outstanding value for money, a comprehensive product range, and our high-quality service, we want to offer an unforgettable shopping experience for our customers – from ordering to dispatching the required item.

ENLIGHTENING has 60 sets of injection machines, with different sizes and capacities - up to 4000 TON

**GRID SURFACE | 3 RUNNERS**

**ONE TIME INJECTION**

**RACKABLE**



4	WAY
✓	



2	WAY
✓	

**ENL-1008CWZJ 100 x 80 x 15 cm**

WEIGHT ± 5%	9.0 kg	13.5 kg	(7 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	290	40HC 720

**ENL-1010H2 100 x 100 x 15 cm**

WEIGHT ± 5%	13.6 kg	19.6 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	240	40HC 600

**ENL-Y1111WHC 110 x 110 x 15 cm**

WEIGHT ± 5%	14.0 kg	20.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	190	40HC 462

**ENL-Y1208WHB 120 x 80 x 15 cm**

WEIGHT ± 5%	11.0 kg	16.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	220	40HC 600

**ENL-Y1210WHC 120 x 100 x 15 cm**

WEIGHT ± 5%	13.5 kg	20.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	210	40HC 530

**ENL-Y1211WHC 120 x 110 x 15 cm**

WEIGHT ± 5%	15.7 kg	22.7 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	180	40HC 450

**ENL-Y1212WHC 120 x 120 x 15 cm**

WEIGHT ± 5%	16.5 kg	23.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	170	40HC 420

**ENL-Y1311WHC 130 x 110 x 15 cm**

WEIGHT ± 5%	16.3 kg	24.3 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	170	40HC 400

**ENL-1313H2 130 x 130 x 15 cm**

WEIGHT ± 5%	23.5 kg	35.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	150	40HC 380

**ENL-Y1411WHC 140 x 110 x 15 cm**

WEIGHT ± 5%	18.3 kg	27.3 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	150	40HC 380

**ENL-Y1412WHC 140 x 120 x 16 cm**

WEIGHT ± 5%	20.5 kg	29.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5T	1 T
CONTAINER	20FT	130	40HC 330

**ENL-Y144115WHC 144 x 115 x 16 cm**

WEIGHT ± 5%	20.0 kg	29.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1 T
CONTAINER	20FT	130	40HC 330

**FLAT SURFACE | 3 RUNNERS**

**WELDED**

**RACKABLE**



4	WAY
✓	



2	WAY
✓	

**ENL-1010H 100 x 100 x 16.5 cm**

WEIGHT ± 5%	14.6 kg	21.6 kg	(7 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	240	40HC 600

**ENL-1111PGC 110 x 110 x 15 cm**

WEIGHT ± 5%	18.0 kg	23.4 kg	(5 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	180	40HC 462

**ENL-H1111PHB 110 x 110 x 15 cm**

WEIGHT ± 5%	16.9 kg	23.9 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	180	40HC 450

**ENL-1208PGC 120 x 80 x 15 cm**

WEIGHT ± 5%	16.4 kg	21.4 kg	(5 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	210	40HC 520

**ENL-H1208PHA 120 x 80 x 15 cm**

WEIGHT ± 5%	13.9 kg	20.9 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	210	40HC 520

**ENL-1210PGC 120 x 100 x 15 cm**

WEIGHT ± 5%	18.0 kg	23.5 kg	(5 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	190	40HC 470

**ENL-H1210PHA 120 x 100 x 15 cm**

WEIGHT ± 5%	16.0 kg	22.8 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	200	40HC 500

**ENL-H1211PHA 120 x 110 x 15 cm**

WEIGHT ± 5%	20.0 kg	28.0 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	170	40HC 430

**ENL-H1211PHB 120 x 110 x 15 cm**

WEIGHT ± 5%	19.5 kg	26.5 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	170	40HC 430

**ENL-H1212PHA 120 x 120 x 16 cm**

WEIGHT ± 5%	20.8 kg	28.8 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	170	40HC 420

**ENL-H1311PHA 130 x 110 x 16 cm**

WEIGHT ± 5%	21.5 kg	29.5 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	150	40HC 380

**ENL-1313H 130 x 130 x 15 cm**

WEIGHT ± 5%	24.0 kg	33.0 kg	(8 BARS)
LOAD CAPACITY	6 T	2 T	1.5 T
CONTAINER	20FT	150	40HC 380

# GRID SURFACE | 6 RUNNERS

ONE TIME INJECTION

RACKABLE

STACKABLE



4	WAY
✓	



4	WAY
✓	

**ENL-Y1111WTD 110 x 110 x 15 cm**

WEIGHT ± 5%	14.5 kg	21.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1 T
	20FT	145	40HC 362

**ENL-Y1111WTC 110 x 110 x 12 cm**

WEIGHT ± 5%	7.2 kg		
LOAD CAPACITY	2 T	1 T	X
	20FT	180	40HC 450

**ENL-Y1208WTC 120 x 80 x 13.5 cm**

WEIGHT ± 5%	10.0 kg	14.5 kg	(3 BARS)
LOAD CAPACITY	4 T	1.5T	1 T
	20FT	220	40HC 535

**ENL-Y1210WTE 120 x 100 x 15 cm**

WEIGHT ± 5%	14.7 kg	21.7 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1 T
	20FT	150	40HC 367

**ENL-Y1210WTC 120 x 100 x 12 cm**

WEIGHT ± 5%	7.2 kg		
LOAD CAPACITY	2 T	1T	X
	20FT	180	40HC 450

**ENL-Y1211WTA 120 x 110 x 15 cm**

WEIGHT ± 5%	15.0 kg	22.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1 T
	20FT	140	40HC 340

**ENL-Y1212WTB 120 x 120 x 15 cm**

WEIGHT ± 5%	16.5 kg	23.5 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1 T
	20FT	120	40HC 310

**ENL-Y1411WTA 140 x 110 x 15 cm**

WEIGHT ± 5%	17.0 kg	26.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1 T
	20FT	115	40HC 280

**ENL-Y1412WTA 140 x 120 x 15 cm**

WEIGHT ± 5%	19.0 kg	28.0 kg	(8 BARS)
LOAD CAPACITY	6 T	1.5 T	1 T
	20FT	105	40HC 272

**GRID SURFACE | 6 RUNNERS**

**WELDED**

**RACKABLE**

**STACKABLE**



**ENL-H1111WTC 110 x 110 x 15 cm**

WEIGHT ± 5%	16.0 kg	23.0 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	145	40HC	362

**ENL-H1210WTB 120 x 100 x 15 cm**

WEIGHT ± 5%	17.0 kg	24.0 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	150	40HC	367

**ENL-H1211WTB 120 x 110 x 15 cm**

WEIGHT ± 5%	17.5 kg	24.5 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	140	40HC	340

**ENL-H1212WTB 120 x 120 x 15 cm**

WEIGHT ± 5%	18.7 kg	26.7 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	120	40HC	310

**ENL-H1311WTA 130 x 110 x 15 cm**

WEIGHT ± 5%	19.5 kg	27.5 kg (8 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	125	40HC	310

**ENL-1313C 130 x 130 x 16 cm**

WEIGHT ± 5%	24.0 kg	28.6 kg (4 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	105	40HC	264

**ENL-H1411WTA 140 x 110 x 15 cm**

WEIGHT ± 5%	23.0 kg	32.0 kg (16 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	115	40HC	280

**ENL-H1412WTA 140 x 120 x 15 cm**

WEIGHT ± 5%	26.5 kg	35.5 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	105	40HC	272

**ENL-1414C 140 x 140 x 16 cm**

WEIGHT ± 5%	30.0 kg	35.0 kg (6 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	60	40HC	145

**ENL-1515C 150 x 150 x 16 cm**

WEIGHT ± 5%	34.0 kg	39.8 kg (6 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	68	40HC	168

**FLAT SURFACE | 6 RUNNERS**


**WELDED**

**RACKABLE**

**STACKABLE**




**ENL-110830G 110 x 83 x 17.5 cm**




WEIGHT ± 5%	13.1 kg	15.6 kg (3 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	130	40HC	300

**ENL-H1111PTC 110 x 110 x 15 cm**




WEIGHT ± 5%	16.5 kg	23.5 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	140	40HC	352

**ENL-1208B1 120 x 80 x 15 cm**




WEIGHT ± 5%	18.0 kg			
LOAD CAPACITY	4 T	1 T	X	
CONTAINER	20FT	150	40HC	375

**ENL-H1210PTB 120 x 100 x 15 cm**




WEIGHT ± 5%	17.0 kg	28.0 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	150	40HC	367

**ENL-H1211PTB 120 x 110 x 15 cm**




WEIGHT ± 5%	19.4 kg	27.4 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	120	40HC	310

**ENL-H1212PTB 120 x 120 x 15 cm**




WEIGHT ± 5%	19.7 kg	27.7 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	120	40HC	310

**ENL-H1311PTA 130 x 110 x 15 cm**




WEIGHT ± 5%	27.6 kg	35.6 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	125	40HC	310

**ENL-1313C 130 x 130 x 15 cm**




WEIGHT ± 5%	26.5 kg	31.1 kg (4 BARS)		
LOAD CAPACITY	6 T	2 T	1.5 T	
CONTAINER	20FT	120	40HC	310

**ENL-H1411PTA 140 x 110 x 15 cm**



WEIGHT ± 5%	23.0 kg	33.0 kg (12 BARS)		
LOAD CAPACITY	6 T	2 T	1.5 T	
CONTAINER	20FT	115	40HC	280

**ENL-H1412PTA 140 x 120 x 15 cm**



WEIGHT ± 5%	28.0 kg	38.0 kg (12 BARS)		
LOAD CAPACITY	6 T	2 T	1.5 T	
CONTAINER	20FT	105	40HC	272

**GRID SURFACE | 9 LEGS NESTABLE**

**ONE TIME INJECTION**

**GROUND USE**

**EXPORT USE**



**ENL-Y1008WQA 100 x 80 x 14 cm**

WEIGHT ± 5%	4.9 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>600</td> <td>40HC</td> <td>1450</td> </tr> </table>	20FT	600	40HC	1450
20FT	600	40HC	1450		

**ENL-Y1010WQA 100 x 100 x 14 cm**

WEIGHT ± 5%	5.7 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>550</td> <td>40HC</td> <td>1300</td> </tr> </table>	20FT	550	40HC	1300
20FT	550	40HC	1300		

**ENL-Y1109WQA 110 x 90 x 14 cm**

WEIGHT ± 5%	6.2 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>470</td> <td>40HC</td> <td>1150</td> </tr> </table>	20FT	470	40HC	1150
20FT	470	40HC	1150		

**ENL-Y1110WQA 110 x 100 x 14 cm**

WEIGHT ± 5%	6.7 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>450</td> <td>40HC</td> <td>1100</td> </tr> </table>	20FT	450	40HC	1100
20FT	450	40HC	1100		

**ENL-Y1111WQC 110 x 110 x 14 cm**

WEIGHT ± 5%	6.7 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>450</td> <td>40HC</td> <td>1100</td> </tr> </table>	20FT	450	40HC	1100
20FT	450	40HC	1100		

**ENL-Y1111WQB 110 x 110 x 14 cm**

WEIGHT ± 5%	6.2 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>450</td> <td>40HC</td> <td>1100</td> </tr> </table>	20FT	450	40HC	1100
20FT	450	40HC	1100		

**ENL-Y1111WQA 110 x 110 x 13.5 cm**

WEIGHT ± 5%	7.8 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>410</td> <td>40HC</td> <td>1050</td> </tr> </table>	20FT	410	40HC	1050
20FT	410	40HC	1050		

**ENL-Y1208WQA 120 x 80 x 13.5 cm**

WEIGHT ± 5%	5.8 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>500</td> <td>40HC</td> <td>1200</td> </tr> </table>	20FT	500	40HC	1200
20FT	500	40HC	1200		

**ENL-Y1210WQB 120 x 100 x 14 cm**

WEIGHT ± 5%	6.2 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>400</td> <td>40HC</td> <td>1166</td> </tr> </table>	20FT	400	40HC	1166
20FT	400	40HC	1166		

**ENL-Y1210WQA 120 x 100 x 14 cm**

WEIGHT ± 5%	7.5 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>400</td> <td>40HC</td> <td>1166</td> </tr> </table>	20FT	400	40HC	1166
20FT	400	40HC	1166		

**ENL-Y1211WQA 120 x 110 x 14 cm**

WEIGHT ± 5%	6.8 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>440</td> <td>40HC</td> <td>900</td> </tr> </table>	20FT	440	40HC	900
20FT	440	40HC	900		

**ENL-Y1212WQA 120 x 120 x 13.5 cm**

WEIGHT ± 5%	8.8 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>1.5T</td> <td>0.5 T</td> <td>X</td> </tr> </table>	1.5T	0.5 T	X	
1.5T	0.5 T	X			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>370</td> <td>40HC</td> <td>830</td> </tr> </table>	20FT	370	40HC	830
20FT	370	40HC	830		

**FLAT SURFACE | 9 LEGS NESTABLE**

**ONE TIME INJECTION**

**GROUND USE**

**EXPORT USE**



**ENL-Y11473PQJ 114 x 73.0 x 14.5 cm**

WEIGHT ± 5%	6.6 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	450	40HC 1100

**ENL-Y11473PQJ 114 x 73.5 x 14.5 cm**

WEIGHT ± 5%	6.6 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	450	40HC 1100

**ENL-Y11573PQJ 115 x 73 x 15 cm**

WEIGHT ± 5%	6.9 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	450	40HC 1100

**ENL-Y11574PQJ 115 x 74 x 15 cm**

WEIGHT ± 5%	6.9 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	450	40HC 1100

**ENL-Y11575PQJ 115 x 75 x 15 cm**

WEIGHT ± 5%	6.9 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	450	40HC 1100

**ENL-Y1111PQA 110 x 110 x 13.5 cm**

WEIGHT ± 5%	9.3 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	410	40HC 1050

**ENL-1111CS 110 x 110 x 15 cm**

WEIGHT ± 5%	8.5 kg		
LOAD CAPACITY			
	3T	0.8 T	X
CONTAINER	20FT	400	40HC 1000

**ENL-Y1208PQA 120 x 80 x 13.5 cm**

WEIGHT ± 5%	7.0 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	500	40HC 1200

**ENL-1210CS 120 x 100 x 15 cm**

WEIGHT ± 5%	8.5 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	400	40HC 1000

**ENL-Y1212PQA 120 x 120 x 13.5 cm**

WEIGHT ± 5%	10.9 kg		
LOAD CAPACITY			
	1.5T	0.5 T	X
CONTAINER	20FT	370	40HC 830

# GRID SURFACE | 9 LEGS

ONE TIME INJECTION

GROUND USE



4	WAY
✓	



4	WAY
✓	

**ENL-Y1008WJA 100 x 80 x 15 cm**

WEIGHT ± 5%	8.1 kg	10.1 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	280	40HC 700

**ENL-Y1010WJA 100 x 100 x 15 cm**

WEIGHT ± 5%	8.7 kg	11.2 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	240	40HC 600

**ENL-Y1109WJA 110 x 90 x 15 cm**

WEIGHT ± 5%	9.2 kg	11.7 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	240	40HC 600

**ENL-Y1111WJA 110 X 110 X 14.5 cm**

WEIGHT ± 5%	13.3 kg	16.3 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	240	40HC 580

**ENL-Y1208WJA 120 x 80 x 14.5 cm**

WEIGHT ± 5%	11.0 kg	14.0 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	240	40HC 600

**ENL-Y1210WJB 120 x 100 x 14 cm**

WEIGHT ± 5%	12.4 kg	15.4 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	200	40HC 500

**ENL-Y1211WJA 120 x 110 x 14 cm**

WEIGHT ± 5%	12.5 kg	15.5 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	160	40HC 400

**ENL-Y1212WJB 120 x 120 x 14 cm**

WEIGHT ± 5%	14.7 kg	17.7 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	160	40HC 400

**ENL-Y1311WJA 130 x 110 x 14.5 cm**

WEIGHT ± 5%	14.7 kg	18.2 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	130	40HC 310

**ENL-Y1411WJB 140 x 110 x 14.8 cm**

WEIGHT ± 5%	17.7 kg	21.4 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	115	40HC 280

**ENL-Y1412WJA 140 x 120 x 14.5 cm**

WEIGHT ± 5%	18.9 kg	22.9 kg	(4 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	118	40HC 272

**ENL-Y1414WJA 140 x 140 x 14.5 cm**

WEIGHT ± 5%	17.8 kg	23.3 kg	(6 BARS)
LOAD CAPACITY	4T	1T	X
CONTAINER	20FT	68	40HC 168

**FLAT SURFACE | 9 LEGS**

**ONE TIME INJECTION**

**GROUND USE**



**ENL-Y1008PJA 100 x 80 x 15 cm**

WEIGHT ± 5%	8.7 kg	10.7 kg	(3 BARS)
LOAD CAPACITY			
CONTAINER	20FT	280	40HC 700

**ENL-Y1010PJA 100 x 100 x 15 cm**

WEIGHT ± 5%	9.9 kg	12.4 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 600

**ENL-Y1109PJA 110 x 90 x 15 cm**

WEIGHT ± 5%	10.8 kg	13.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 600

**ENL-Y1111PJA 110 x 110 x 14.5 cm**

WEIGHT ± 5%	14.6 kg	17.1 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	240	40HC 580

**ENL-Y1208PJB 120 x 80 x 15 cm**

WEIGHT ± 5%	11.0 kg	14.0 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	200	40HC 500

**ENL-Y1210PJB 120 x 100 x 14 cm**

WEIGHT ± 5%	13.4 kg	16.4 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	200	40HC 500

**ENL-Y1211PJA 120 x 110 x 14 cm**

WEIGHT ± 5%	15.3 kg	18.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	160	40HC 400

**ENL-Y1212PJB 120 x 120 x 14 cm**

WEIGHT ± 5%	15.6 kg	19.0 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	160	40HC 400

**ENL-Y1311PJA 130 x 110 x 14.5 cm**

WEIGHT ± 5%	17.4 kg	20.9 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	130	40HC 310

**ENL-Y1411PJA 140 x 110 x 14.5 cm**

WEIGHT ± 5%	22.2 kg	26.2 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	115	40HC 280

**ENL-Y1412PJA 140 x 120 x 14.5 cm**

WEIGHT ± 5%	23.3 kg	27.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	118	40HC 272

**ENL-Y1414PJA 140 x 140 x 14.5 cm**

WEIGHT ± 5%	25.7 kg	30.3 kg	(4 BARS)
LOAD CAPACITY			
CONTAINER	20FT	68	40HC 168

**GRID SURFACE | REVERSIBLE**

**ONE TIME INJECTION**

**RACKABLE**

**STACKABLE**



4	WAY
✓	



4	WAY
✗	

**ENL-Y1111WSA 110 x 110 x 15 cm**

WEIGHT ± 5%	19.0 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>145</td> <td>40HC</td> <td>362</td> </tr> </table>	20FT	145	40HC	362
20FT	145	40HC	362		

**ENL-Y1111WSB 110 x 110 x 15 cm**

WEIGHT ± 5%	21.0 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>145</td> <td>40HC</td> <td>362</td> </tr> </table>	20FT	145	40HC	362
20FT	145	40HC	362		

**ENL-Y1111WSC 110 x 110 x 15 cm**

WEIGHT ± 5%	22.0 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>145</td> <td>40HC</td> <td>362</td> </tr> </table>	20FT	145	40HC	362
20FT	145	40HC	362		

**ENL-Y1111WSE 110 x 110 x 15 cm**

WEIGHT ± 5%	19.5 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>145</td> <td>40HC</td> <td>362</td> </tr> </table>	20FT	145	40HC	362
20FT	145	40HC	362		

**ENL-Y1210WSC 120 x 100 x 15 cm**

WEIGHT ± 5%	19.5 kg	25.5 kg (8 BARS)			
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>1T</td> </tr> </table>	6 T	1.5 T	1T	
6 T	1.5 T	1T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>150</td> <td>40HC</td> <td>367</td> </tr> </table>	20FT	150	40HC	367
20FT	150	40HC	367		

**ENL-Y1210WSB 120 x 100 x 15 cm**

WEIGHT ± 5%	19.5 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>150</td> <td>40HC</td> <td>367</td> </tr> </table>	20FT	150	40HC	367
20FT	150	40HC	367		

**ENL-Y1212WSA 120 x 120 x 15 cm**

WEIGHT ± 5%	23.0 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>120</td> <td>40HC</td> <td>310</td> </tr> </table>	20FT	120	40HC	310
20FT	120	40HC	310		

**ENL-Y1311WSA 130 x 110 x 15 cm**

WEIGHT ± 5%	24.0 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>125</td> <td>40HC</td> <td>310</td> </tr> </table>	20FT	125	40HC	310
20FT	125	40HC	310		

**ENL-Y1411WSB 140 x 110 x 15 cm**

WEIGHT ± 5%	25.4 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>115</td> <td>40HC</td> <td>280</td> </tr> </table>	20FT	115	40HC	280
20FT	115	40HC	280		

**ENL-Y1411WSA 140 x 110 x 15 cm**

WEIGHT ± 5%	30.5 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>115</td> <td>40HC</td> <td>280</td> </tr> </table>	20FT	115	40HC	280
20FT	115	40HC	280		

**ENL-Y1412WSB 140 x 120 x 15 cm**

WEIGHT ± 5%	27.0 kg				
LOAD CAPACITY	<table border="1"> <tr> <td>6 T</td> <td>1.5 T</td> <td>0.5 T</td> </tr> </table>	6 T	1.5 T	0.5 T	
6 T	1.5 T	0.5 T			
CONTAINER	<table border="1"> <tr> <td>20FT</td> <td>105</td> <td>40HC</td> <td>272</td> </tr> </table>	20FT	105	40HC	272
20FT	105	40HC	272		

**GRID SURFACE | REVERSIBLE**


**WELDED**

**RACKABLE**

**STACKABLE**




**ENL-H1010WSA/B 100 x 100 x 16/15 cm**




WEIGHT ± 5%	15.0 kg	22.0 kg (8 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	180	40HC	450

**ENL-H1109WSA/B 110 x 90 x 16/15 cm**




WEIGHT ± 5%	14.6 kg	19.6 kg (8 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	180	40HC	446

**ENL-H1111WSE 110 x 110 x 15 cm**




WEIGHT ± 5%	18.4 kg	25.4 kg (8 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	140	40HC	362

**ENL-H1208WSA 120 x 80 x 15 cm**




WEIGHT ± 5%	coming soon			
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	150	40HC	375

**ENL-H1210WSF 120 x 100 x 15 cm**




WEIGHT ± 5%	18.6 kg	24.6 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	150	40HC	367

**ENL-H1211WSB 120 x 110 x 15 cm**




WEIGHT ± 5%	19.4 kg	27.4 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	140	40HC	340

**ENL-H1212WSE 120 x 120 x 15 cm**




WEIGHT ± 5%	21.0 kg	29.0 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	120	40HC	310

**ENL-H125112WSA 125 x 112 x 14 cm**




WEIGHT ± 5%	22.0 kg	30.0 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	120	40HC	310

**ENL-H1310WSA 130 x 100 x 15 cm**




WEIGHT ± 5%	23.0 kg	31.0 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	145	40HC	358

**ENL-H1311WSF 130 x 110 x 15 cm**




WEIGHT ± 5%	21.7 kg	29.7 kg (12 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	120	40HC	310

**ENL-H1411WSC 140 x 110 x 15 cm**



WEIGHT ± 5%	27.2 kg	36.2 kg (20 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	115	40HC	280

**ENL-H1412WSD 140 x 120 x 15 cm**



WEIGHT ± 5%	29.0 kg	38.0 kg (20 BARS)		
LOAD CAPACITY	6 T	1.5 T	1 T	
CONTAINER	20FT	105	40HC	272

# GRID SURFACE | REVERSIBLE

WELDED

RACKABLE

STACKABLE



4	WAY
✓	



4	WAY
✗	

**ENL-H1414WSC 140 x 140 x 15 cm**

WEIGHT ± 5%	31.4 kg	40.4 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	77

**ENL-H1512WSB 150 x 120 x 15 cm**

WEIGHT ± 5%	31.3 kg	40.3 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	100

**ENL-H1513WSA 150 x 130 x 15 cm**

WEIGHT ± 5%	33.2 kg	42.2 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	95

**ENL-H1515WSA 150 x 150 x 15 cm**

WEIGHT ± 5%	37.0 kg	49.0 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	70

**ENL-H1550WSA 155 x 155 x 15.4 cm**

WEIGHT ± 5%	38.8 kg	50.8 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	70

**ENL-H1614WSB 160 x 140 x 15 cm**

WEIGHT ± 5%	37.0 kg	49.0 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	67

**ENL-1616WSA 160 x 160 x 15 cm**

WEIGHT ± 5%	43.4 kg	55.4 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	62

**FLAT SURFACE | REVERSIBLE**

**WELDED**

**RACKABLE**

**STACKABLE**



**ENL-H1008PSA 100 x 80 x 16 cm**

WEIGHT ± 5%	14.5 kg	20.0 kg (8 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 180	40HC 456

**ENL-H1008PSB 100 x 80 x 15 cm**

WEIGHT ± 5%	14.5 kg	20.0 kg (8 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 180	40HC 456

**ENL-H1010PSA 100 x 100 x 16 cm**

WEIGHT ± 5%	16.0 kg	21.5 kg (8 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 180	40HC 456

**ENL-H1010PSB 100 x 100 x 15 cm**

WEIGHT ± 5%	16.0 kg	21.5 kg (8 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 180	40HC 456

**ENL-H1109PSA 110 x 90 x 16 cm**

WEIGHT ± 5%	17.0 kg	23.0 kg (8 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 180	40HC 446

**ENL-H1109PSB 110 x 90 x 15 cm**

WEIGHT ± 5%	17.0 kg	23.0 kg (8 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 180	40HC 446

**ENL-H1111PSE 110 x 110 x 15 cm**

WEIGHT ± 5%	20.0 kg	27.0 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 140	40HC 362

**ENL-H1208PSB 120 x 80 x 15 cm**

WEIGHT ± 5%	coming soon	
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 150	40HC 375

**ENL-H1210PSF 120 x 100 x 15 cm**

WEIGHT ± 5%	20.2 kg	26.2 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 150	40HC 367

**ENL-H1211PSB 120 x 110 x 15 cm**

WEIGHT ± 5%	21.6 kg	29.6 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 140	40HC 340

**ENL-H1212PSE 120 x 120 x 15 cm**

WEIGHT ± 5%	23.0 kg	31.0 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 120	40HC 280

**ENL-H1310PSA 130 x 100 x 15 cm**

WEIGHT ± 5%	26.1 kg	34.1 kg (12 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT 145	40HC 358

# FLAT SURFACE | REVERSIBLE

WELDED

RACKABLE

STACKABLE



**ENL-H1311PSG 130 x 110 x 15 cm**

WEIGHT ± 5%	26.5 kg	<b>34.5 kg (12 BARS)</b>
LOAD CAPACITY	6 T	1.5 T  1T
CONTAINER	20FT 125	40HC 310

**ENL-H1411PSD 140 x 110 x 15 cm**

WEIGHT ± 5%	29.1 kg	<b>38.1 kg (20 BARS)</b>
LOAD CAPACITY	6 T	1.5 T  1T
CONTAINER	20FT 115	40HC 280

**ENL-H1412PSC 140 x 120 x 15 cm**

WEIGHT ± 5%	31.6 kg	<b>39.6 kg (20 BARS)</b>
LOAD CAPACITY	6 T	1.5 T  1T
CONTAINER	20FT 105	40HC 272

**ENL-H1414PSA 140 x 140 x 16 cm**

WEIGHT ± 5%	39.2 kg	<b>47.2 kg (20 BARS)</b>
LOAD CAPACITY	6 T	1.5 T  1T
CONTAINER	20FT 77	40HC 189

**ENL-H1414PSB 140 x 140 x 15 cm**

WEIGHT ± 5%	39.2 kg	<b>47.2 kg (20 BARS)</b>
LOAD CAPACITY	6 T	1.5 T  1T
CONTAINER	20FT 77	40HC 189

**ENL-H1512PSB 150 x 120 x 15 cm**

WEIGHT ± 5%	36.6 kg	<b>45.6 kg (20 BARS)</b>
LOAD CAPACITY	6 T	1.5 T  1T
CONTAINER	20FT 100	40HC 250

**ENL-H1513PSA 150 x 130 x 15 cm**

WEIGHT ± 5%	38.4 kg	<b>47.4 kg (20 BARS)</b>
LOAD CAPACITY	6 T	1.5 T  1T
CONTAINER	20FT 100	40HC 250

**ENL-H1614PSA 160 x 140 x 15 cm**

WEIGHT ± 5%	coming soon	
LOAD CAPACITY	6 T	1.5 T  1T
CONTAINER	20FT 67	40HC 166

## SPILL PALLETS

ONE TIME INJECTION

GROUND USE

STACKABLE



ENL-1 DRUM 68 x 68 x 15 cm



WEIGHT ± 5%	8.0 kg	VOLUME	43 L
LOAD CAPACITY			
	0.7 T	0.3 T	X
CONTAINER	20FT	480	40HC 1120

ENL-2 DRUMS 132 x 68 x 15 cm



WEIGHT ± 5%	17.0 kg	VOLUME	80 L
LOAD CAPACITY			
	1.3 T	0.6 T	X
CONTAINER	20FT	240	40HC 560

ENL-2 DRUMS 132 x 68 x 30 cm



WEIGHT ± 5%	22.0 kg	VOLUME	120 L
LOAD CAPACITY			
	1.3 T	0.6 T	X
CONTAINER	20FT	240	40HC 560

ENL-4 DRUMS 132 x 132 x 15 cm



WEIGHT ± 5%	32.0 kg	VOLUME	150 L
LOAD CAPACITY			
	3 T	1.3 T	X
CONTAINER	20FT	120	40HC 280

ENL-4 DRUMS 132 x 132 x 30 cm



WEIGHT ± 5%	36.0 kg	VOLUME	220 L
LOAD CAPACITY			
	3 T	1.3 T	X
CONTAINER	20FT	120	40HC 280

ENL-RAMP 120 x 80 x 30 cm



WEIGHT ± 5%	22kg		
LOAD CAPACITY			
	1.3 T	0.6 T	X
CONTAINER	20FT	80	40HC 240

## WATER BOTTLES PALLETS

ONE TIME INJECTION

GROUND USE

STACKABLE



ENL-12 bottle pallet 108 x 81 x 17 cm



WEIGHT ± 5%	13.5kg		
LOAD CAPACITY			
	4 T	1 T	X
CONTAINER	20FT	200	40HC 500

ENL-16 bottle pallet 108 x 108 x 18 cm



WEIGHT ± 5%	17kg		
LOAD CAPACITY			
	4 T	1 T	X
CONTAINER	20FT	150	40HC 380

# PALLET CONTAINERS



<b>ENL-1210A</b>	<b>75 kg</b>	<b>120 x 100 x 97.5 cm</b>
------------------	--------------	----------------------------

<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	111 x 91 x 79 cm	<b>Collapsible High</b>	40.6 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	150	132
<b>OPEN</b>		44	
<b>FOLDED</b>	<b>20FT</b>	56	52
<b>OPEN</b>		20	

<b>ENL-1210B</b>	<b>66 kg</b>	<b>120 x 100 x 97.5 cm</b>
------------------	--------------	----------------------------

<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	111 x 91 x 79 cm	<b>Collapsible High</b>	40.6 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	150	132
<b>OPEN</b>		44	
<b>FOLDED</b>	<b>20FT</b>	56	52
<b>OPEN</b>		20	

<b>ENL-1210B2</b>	<b>57 kg</b>	<b>120 x 100 x 97.5 cm</b>
-------------------	--------------	----------------------------

<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	112 x 92 x 79.5 cm	<b>Collapsible High</b>	40.6 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	148	132
<b>OPEN</b>		44	
<b>FOLDED</b>	<b>20FT</b>	56	52
<b>OPEN</b>		20	

<b>ENL-1210C</b>	<b>47 kg</b>	<b>120 x 100 x 59 cm</b>
------------------	--------------	--------------------------

<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	111 x 91 x 40.5 cm	<b>Collapsible High</b>	40.6 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	150	132
<b>OPEN</b>		44	
<b>FOLDED</b>	<b>20FT</b>	56	52
<b>OPEN</b>		20	

<b>ENL-1210D</b>	<b>55 kg</b>	<b>120 x 100 x 100 cm</b>
------------------	--------------	---------------------------


<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	111.7 x 91.8 x 86.5 cm	<b>Collapsible High</b>	36 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	150	137
<b>OPEN</b>		44	
<b>FOLDED</b>	<b>20FT</b>	60	52
<b>OPEN</b>		20	

# PALLET CONTAINERS




<b>ENL-1210WE</b>	<b>43 kg</b>	<b>120 x 100 x 81 cm</b>
-------------------	--------------	--------------------------



<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	111 x 91 x 66 cm	<b>Collapsible High</b>	29 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	210	175
<b>OPEN</b>		60	
<b>FOLDED</b>	<b>20FT</b>	83	60
<b>OPEN</b>		24	


<b>ENL-1210FE</b>	<b>45 kg</b>	<b>120 x 100 x 81 cm</b>
-------------------	--------------	--------------------------



<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	111 x 91 x 66 cm	<b>Collapsible High</b>	29 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	210	175
<b>OPEN</b>		60	
<b>FOLDED</b>	<b>20FT</b>	83	60
<b>OPEN</b>		24	

<b>ENL-1162W</b>	<b>49 kg</b>	<b>116 x 116 x 79 cm</b>
------------------	--------------	--------------------------



<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	109 x 109 x 63 cm	<b>Collapsible High</b>	30 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	180	168
<b>OPEN</b>		60	
<b>FOLDED</b>	<b>20FT</b>	80	72
<b>OPEN</b>		30	


<b>ENL-1162F</b>	<b>52 kg</b>	<b>116 x 116 x 79 cm</b>
------------------	--------------	--------------------------



<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	109 x 109 x 63 cm	<b>Collapsible High</b>	30 cm
	<b>W/LID</b>		<b>W/LID</b>
<b>FOLDED</b>	<b>40HC</b>	180	168
<b>OPEN</b>		60	
<b>FOLDED</b>	<b>20FT</b>	80	72
<b>OPEN</b>		30	

<b>ENL-1210WK</b>	<b>32 kg</b>	<b>120 x 100 x 76 cm</b>
-------------------	--------------	--------------------------



<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	111 x 91 x 60 cm		
	<b>W/LID</b>		<b>W/LID</b>
<b>OVERLAP</b>	<b>40HC</b>	104	104
<b>STACK</b>		60	
<b>OVERLAP</b>	<b>20FT</b>	44	44
<b>STACK</b>		24	

<b>ENL-1210FK</b>	<b>34 kg</b>	<b>120 x 100 x 76 cm</b>
-------------------	--------------	--------------------------



<b>STATIC</b>	<b>4 T</b>
<b>DYN</b>	<b>1 T</b>

<b>Internal Dim</b>	111 x 91 x 60 cm		
	<b>W/LID</b>		<b>W/LID</b>
<b>OVERLAP</b>	<b>40HC</b>	104	104
<b>STACK</b>		60	
<b>OVERLAP</b>	<b>20FT</b>	44	44
<b>STACK</b>		24	

## PLASTIC WASTE BINS

**1100A**



VOLUME	1100 L			
SIZE	135 x 104 x 130 CM			
WEIGHT ± 5%	50 KG			
THICKNESS	BODY	7 MM	LID	4 MM
CONTAINER	20FT	36	40HC	120

**660B-3**



VOLUME	660 L			
SIZE	137 x 78 x 121 CM			
WEIGHT ± 5%	44 KG			
THICKNESS	BODY	6 MM	LID	4 MM
CONTAINER	20FT	60	40HC	138

**400A-1A**



VOLUME	400 L			
SIZE	125 x 82 x 92 CM			
WEIGHT ± 5%	31 KG			
THICKNESS	BODY	5 MM	LID	4 MM
CONTAINER	20FT	140	40HC	350



CODE	VOLUME	SIZE	WEIGHT	THICKNESS	20FT / 40HQ
360A-2	360 L	70 x 74 x 112 CM	21 KG	5.5 MM	210 PCS / 450 PCS
240V-23	240 L	58 x 65 x 107 CM	12.6 KG	4.5 MM	350 PCS / 900 PCS
180A-1	180 L	67 x 55 x 100 CM	11.4 KG	4.0 MM	352 PCS / 901 PCS
140G-1	140 L	52 x 54 x 95 CM	8.1 KG	3.5 MM	350 PCS / 820 PCS
120V-14	120 L	48 x 57 x 95 CM	7.6 KG	3 MM	580 PCS / 1400 PCS
100G-14	100 L	47 x 48 x 82 CM	6.7 KG	3 MM	650 PCS / 1600 PCS
80F-14	80 L	48 x 48 x 68 CM	5.8 KG	3 MM	600 PCS / 1600 PCS




CODE	VOLUME	SIZE	WEIGHT	THICKNESS	20FT / 40HQ
240U-14	240 L	74 x 58 x 108 CM	14.5 KG	4.5 MM	235 PCS / 650 PCS
120U-14	120 L	56 x 48 x 98 CM	9.1 KG	3.5 MM	370 PCS / 900 PCS
100U-14	100 L	56 x 48 x 85 CM	8.0 KG	3.0 MM	370 PCS / 900 PCS



CODE	VOLUME	SIZE	WEIGHT	THICKNESS	20FT / 40HQ
100k-18	100 L	49 x 48 x 84 CM	4.8 KG	2.5 MM	490 PCS / 1190 PCS
100k-7	80 L	49 x 43 x 70 CM	3.9 KG	2.5 MM	570 PCS / 1400 PCS
50K-7	50 L	43 x 40 x 60 CM	2.9 KG	2.0 MM	800 PCS / 1950 PCS
30K-7	30 L	43 x 40 x 44 CM	2.2 KG	2.0 MM	1020 PCS / 2500 PCS
15K-7	15 L	27 x 26 x 34 CM	1.0 KG	1.5 MM	2800 PCS / 6200 PCS

**STACKABLE SOLID CRATES - FOOD GRADE**


**STACKABLE**



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	X22-7#	17.6 x 12.3 x 5.5 cm	0.1 kg	15.5 x 11 x 5 cm	26961	62016
2	X22-6#	21.3 x 14.5 x 6.3 cm	0.13 kg	18.5 x 12.8 x 5.5 cm	15984	37632
3	X22-5#	25.5 x 18 x 7.8 cm	0.22 kg	21.8 x 16.5 x 7 cm	8970	20774
4	X22-4#	31.5 x 20.5 x 8.8 cm	0.36 kg	27.5 x 19 x 8 cm	5346	12540
5	X23-320B	34.8 x 24 x 12.2 cm	0.55 kg	32 x 21.5 x 11.5 cm	2907	6732
6	X23-320A	35.5 x 26.7 x 12.5 cm	0.62 kg	32 x 24 x 12.2 cm	2432	5544
7	X24-4#	37.3 x 25.4 x 6.5 cm	0.31 kg	34.5 x 22.5 x 6 cm	4860	11808
8.1	X20-360-80	38.8 x 31 x 8.9 cm	0.55 kg	36 x 27.8 x 8 cm	2730	6510
8.2	X20-360-105	38.8 x 31 x 11.5 cm	0.6 kg	36 x 27.8 x 10.5 cm	2100	4991
9	X22-3#	39 x 24 x 10 cm	0.55 kg	34.5 x 21.5 x 9 cm	3105	7020
10	X19-380	41.5 x 31.2 x 15 cm	0.85 kg	38 x 27.7 x 14.5 cm	1470	3451
11	X18-392	43 x 34 x 20 cm	1.25 kg	39.2 x 30.5 x 19 cm	858	2184
12	X24-3#	43.8 x 29.3 x 8 cm	0.45 kg	41 x 26 x 7 cm	2639	7128
13	X22-2#	44 x 29.7 x 11.3 cm	0.85 kg	40 x 27.2 x 10.5 cm	1911	4347
L 14.1	X17-450-165	48.6 x 35.5 x 17.4 cm	1.4 kg	45 x 32 x 16.5 cm	936	2160
L 14.2	X17-450-235	48.6 x 35.5 x 24.5 cm	1.75 kg	45 x 32 x 23.5 cm	648	1440
15	X16-460B	49 x 33.5 x 17 cm	1.42 kg	46 x 30.5 x 16 cm	936	2520
16	X16-460A	49 x 36.5 x 17 cm	1.4 kg	46 x 33.5 x 16.5 cm	936	2160
17	X14-470	50 x 32 x 18 cm	1.4 kg	47 x 29 x 16.8 cm	1001	2352
18.1	X15-465-160	53 x 38 x 17 cm	1.65 kg	46.5 x 35 x 16 cm	858	1980
18.2	X15-465-200	53 x 38 x 21 cm	1.85 kg	46.5 x 35 x 20 cm	726	1584
18.3	X15-465-220	53 x 38 x 23 cm	1.85 kg	46.5 x 35 x 22 cm	660	1452
18.4	X15-465-280	53 x 38 x 29 cm	2.35 kg	46.5 x 35 x 28 cm	792	1650
L 19.1	X13-500-180	53.5 x 41.6 x 19.2 cm	1.6 kg	50 x 38 x 18 cm	660	1430
L 19.2	X13-500-230	53.5 x 41.6 x 24 cm	2.3 kg	50 x 38 x 23 cm	495	1210
L 19.3	X13-500-250	53.5 x 41.6 x 26 cm	2.5 kg	50 x 38 x 25 cm	495	1100
L 19.4	X13-500-290	53.5 x 41.6 x 30 cm	2.55 kg	50 x 38 x 29 cm	550	1320
L 19.5	X13-500-320	53.5 x 41.6 x 33.2 cm	2.65 kg	50 x 38 x 32 cm	550	1320
L 19.6	X13-500-350	53.5 x 41.6 x 36 cm	2.65 kg	50 x 38 x 35 cm	495	1045

**STACKABLE SOLID CRATES - FOOD GRADE**

**STACKABLE**



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
20	X12-510	54 x 37.5 x 28.5 cm	2.15 kg	51 x 34.5 x 27.5 cm	480	1188
21	X24-2#	55.7 x 37.5 x 8.3 cm	0.8 kg	52.3 x 34 x 7.5 cm	1680	4032
22	X21-2#	58 x 39 x 14.8 cm	1.4 kg	53.6 x 35.6 x 14.2 cm	960	2160
23	X11-525	59.2 x 36.5 x 26.5 cm	2.1 kg	52.5 x 32.3 x 25.3 cm	480	1200
24	X22-1#	60 x 37.9 x 12.8 cm	1.3 kg	46 x 34.5 x 12 cm	1188	2880
25	X10-550	60 x 40 x 15 cm	1.7 kg	55 x 36 x 14.5 cm	675	1700
L 26.1	X09-560-290	60.3 x 49.5 x 30.3 cm	3.2 kg	56 x 45.2 x 29 cm	252	608
L 26.2	X09-560-350	60.3 x 49.5 x 36.4 cm	3.5 kg	56 x 45.2 x 35 cm	324	722
L 27.1	X08-575-105	61 x 42 x 11.5 cm	1.45 kg	57.5 x 39 x 10.5 cm	900	2185
L 27.2	X08-575-145	61 x 42 x 15.5 cm	1.85 kg	57.5 x 39 x 14.5 cm	675	1615
L 27.3	X08-575-170	61 x 42 x 18 cm	1.86 kg	57.5 x 39 x 17 cm	585	1330
L 27.4	X08-575-210	61 x 42 x 22 cm	2.1 kg	57.5 x 39 x 21 cm	450	1140
L 27.5	X08-575-250	61 x 42 x 26 cm	2.56 kg	57.5 x 39 x 25 cm	405	950
L 27.6	X08-575-300	61 x 42 x 31 cm	2.3 kg	57.5 x 39 x 30 cm	315	760
L 27.7	X08-575-350	61 x 42 x 36 cm	2.3 kg	57.5 x 39 x 35 cm	405	950
L 27.8	X08-575-375	61 x 42 x 38.5 cm	3.15 kg	57.5 x 39 x 37.5 cm	405	855
28	X24-1#	62 x 41.3 x 9.7 cm	1.2 kg	58.5 x 38 x 8.5 cm	1080	2565
29	X21-1#	64 x 44 x 16.5 cm	1.8 kg	60.7 x 40.7 x 15.3 cm	630	1440
30	X06-604	65 x 44 x 35 cm	3.18 kg	60.4 x 39.6 x 33 cm	405	855
L 31	X07-600A	66.7 x 48.3 x 41 cm	4.7 kg	60 x 45 x 40 cm	208	648
32	X03-680	75 x 48 x 19.5 cm	2.8 kg	68 x 45 x 17.8 cm	336	832
33	X02-700A	76.5 x 55 x 46.5 cm	5.9 kg	70 x 51 x 44.8 cm	182	410
34	X01-780	84 x 64.2 x 48 cm	7.52 kg	78 x 58.2 x 46.7 cm	126	273

**STACKABLE SOLID CRATES - INDUSTRIAL**

**STACKABLE**



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1.1	X59-300-115	30 x 20 x 11.5 cm	0.41 kg	25.5 x 15.5 x 9.5 cm	4180	10120
1.2	X59-300-147	30 x 20 x 14.7 cm	0.58 kg	25.5 x 15.5 x 13 cm	3344	7920
L 2.1	X58-400-115	40 x 30 x 11.5 cm	0.72 kg	35 x 25 x 9.5 cm	1960	4830
L 2.2	X58-400-148	40 x 30 x 14.8 cm	0.77 kg	35 x 25 x 13 cm	1568	3780
L 2.3	X58-400-220	40 x 30 x 22 cm	1.08 kg	35 x 25 x 20 cm	980	2520
L 2.4	X58-400-280	40 x 30 x 28 cm	1.29 kg	35 x 25 x 26 cm	1176	2730
L 3.1	X55-600-115	60 x 40 x 11.5 cm	1.2 kg	55 x 36 x 9.5 cm	900	2300
L 3.2	X55-600-148	60 x 40 x 14.8 cm	1.58 kg	55 x 36 x 13 cm	720	1800
L 3.3	X55-600-220	60 x 40 x 22 cm	2.04 kg	55 x 36 x 20 cm	450	1200
L 3.4	X55-600-280	60 x 40 x 28 cm	2.34 kg	55 x 36 x 26 cm	360	900
L 3.5	X56-A	60 x 40 x 28 cm	3.55 kg	55 x 36 x 26 cm	360	900
L 3.6	X55-600-325	60 x 40 x 32.5 cm	2.55 kg	55 x 36 x 31 cm	315	800
4	X54-635B	67 x 33.2 x 24.2 cm	2.16 kg	63.5 x 30 x 22.5 cm	504	1309
5	X54-635A	67 x 50.5 x 24.2 cm	3.17 kg	63.5 x 46.5 x 22.5 cm	288	748
6.1	X53-800-230	80 x 60 x 23 cm	4.02 kg	76.5 x 56.5 x 21 cm	210	495
6.2	X53-800-280	80 x 60 x 28 cm	4.48 kg	76.5 x 56.5 x 26 cm	168	405
6.3	X53-800-340	80 x 60 x 34 cm	5.25 kg	76.5 x 56.5 x 32.5 cm	147	315
7	X52-1000-280	100 x 40 x 28 cm	4.17 kg	94.5 x 35 x 27 cm	200	540
8.1	X51-1200-235	120 x 40 x 23.5 cm	4.72 kg	116 x 37 x 22.3 cm	200	550
8.2	X51-1200-280	120 x 40 x 28 cm	4.82 kg	116 x 37 x 26.8 cm	160	450

**STACKABLE VENTED CRATES - FOOD GRADE**

**STACKABLE**



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1.1	K19-360-80	38.8 x 31 x 8.9 cm	0.35 kg	36 x 27.8 x 8 cm	2730	6510
1.2	K18-360-105	38.8 x 31 x 11.5 cm	0.55 kg	36 x 27.8 x 10.5 cm	2100	4991
2	K17-430	45.3 x 31.6 x 27.3 cm	1.1 kg	43 x 29 x 26.2 cm	1092	2366
3.1	K16-450-165	48.6 x 35.5 x 17.4 cm	0.95 kg	45 x 32 x 16.5 cm	936	2160
3.2	K16-450-235	48.6 x 35.5 x 24.5 cm	1.3 kg	45 x 32 x 23.5 cm	648	1440
4	K20-460	49.1 x 35.4 x 26.9 cm	1.55 kg	46 x 32.3 x 25.4 cm	864	1872
5.1	K53-1#	51.5 x 36.3 x 29.3 cm	1.95 kg	49.5 x 35 x 27.8 cm	726	1725
5.2	K54-2#	51.5 x 36.5 x 31 cm	1.85 kg	48.5 x 33.5 x 30 cm	627	1656
6	K15-490	52.3 x 36.4 x 31 cm	1.66 kg	49 x 33.3 x 30 cm	660	1656
7.1	K14-500-180	53.5 x 41.3 x 19 cm	1.15 kg	50 x 38 x 18 cm	660	1540
7.2	K15-500-250	53.5 x 41.3 x 26 cm	1.35 kg	50 x 38 x 25 cm	495	1100
7.3	K15-500-220	53.5 x 41.3 x 22.8 cm	1.35 kg	50 x 38 x 22 cm	550	1210
7.4	K15-500-290	53.5 x 41.3 x 30 cm	1.58 kg	50 x 38 x 29 cm	550	1320
7.5	K15-500-320	53.5 x 41.3 x 33.5 cm	1.7 kg	50 x 38 x 32 cm	550	1320
8	K13-510	55 x 39 x 28.5 cm	1.6 kg	51 x 35.2 x 27.5 cm	480	1134
9.1	K12-560-290	60 x 49.5 x 30 cm	2 kg	56 x 45.2 x 29 cm	252	640
9.2	K12-560-350	60 x 49.5 x 36 cm	2.25 kg	56 x 45.2 x 35 cm	324	800
10.3	K10-575-105	61 x 42.5 x 11.5 cm	1.1 kg	57.5 x 39 x 10.5 cm	900	2185
10.4	K10-575-145	61 x 42.5 x 15 cm	1.2 kg	57.5 x 39 x 14.5 cm	675	1615
10.5	K10-575-170	61 x 42.5 x 18 cm	1.3 kg	57.5 x 39 x 17 cm	585	1330
10.6	K10-575-210	61 x 42.5 x 22 cm	1.65 kg	57.5 x 39 x 21 cm	450	1140
10.7	K10-575-250	61 x 42.5 x 26 cm	1.75 kg	57.5 x 39 x 25 cm	405	950
10.8	K10-575-300	61 x 42.5 x 31 cm	2.1 kg	57.5 x 39 x 30 cm	315	760
10.1	K10-575-350	61 x 42.5 x 36.3 cm	2.35 kg	57.5 x 39 x 35 cm	405	950
10.2	K10-575-375	61 x 42.5 x 38.5 cm	2.7 kg	57.5 x 39 x 37.5 cm	405	855
11	K07-640	68.5 x 48.5 x 41 cm	3.15 kg	64 x 44 x 40 cm	224	612
12	K06-720	76 x 56 x 41.5 cm	3.9 kg	72 x 51.5 x 40 cm	196	540
13	K05-746	80 x 55 x 37.5 cm	3.45 kg	74.6 x 50 x 36.5 cm	168	420

**STACKABLE VENTED CRATES - FOOD GRADE**

**STACKABLE**



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
14.1	K04-755B	80.5 x 57.2 x 50.5 cm	4.15 kg	75.5 x 52.5 x 49.5 cm	168	392
14.2	K04-755A	80.5 x 57.2 x 50.5 cm	4.75 kg	75.5 x 52.5 x 49.5 cm	168	392
15.1	K03-780B	84 x 63.7 x 48 cm	4.5 kg	78 x 58 x 46.5 cm	126	294
15.2	K03-780A	84 x 63.7 x 48 cm	5.5 kg	78 x 58 x 46.5 cm	126	294
16	K02-880	93.5 x 64 x 56 cm	6.7 kg	89 x 59.5 x 54.5 cm	108	216
17	K01-1m	100.3 x 68 x 54 cm	7 kg	97.5 x 62.7 x 52.5 cm	90	216

ATTACHED LID CONTAINER

NESTABLE



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	NEST HEIGHT	PALLET LOADING			MANUAL LOADING	
					1 PT	20FT	40HC	20FT	40HC
1	4030XC260C	B 40 x 30 x 26 cm	1.65 kg	7.5 cm	140 158	1400	3480	1740	4100
2	4030XC315B	B 40 x 30 x 31.5 cm	2.1 kg	7.5 cm	140 158	1400	3480	1740	4100
3	X62-B	B 54 x 32 x 33.5 cm	2.7 kg	8.5 cm	126 140	1020	2500	1200	3080
4.1	6040XC260B	B 60 x 40 x 26 cm	2.8 kg	8.5 cm	80 90	800	2000	1000	2500
4.2	6040XC260A	A 60 x 40 x 26 cm	2.9 kg	12 cm	60 68	600	1500	720	1800
5	X60-C	C 60 x 40 x 28.5 cm	2.88 kg	12 cm	60 68	600	1500	720	1800
6.1	X61-B	B0 60 x 40 x 31.5 cm	2.9 kg	8 cm	80 90	800	2000	1000	2500
6.2	6040XC315B	B 60 x 40 x 31.5 cm	3 kg	8.5 cm	80 90	800	2000	1000	2500
6.3	6040XC315A	A 60 x 40 x 31.5 cm	3.1 kg	12 cm	60 68	600	1500	720	1800
7	X57-C	C 60 x 40 x 33.5 cm	3.09 kg	8.6 cm	80 90	800	2000	1000	2500
8	6040XC355B	B 60 x 40 x 35.5 cm	3.3 kg	8.5 cm	80 90	800	2000	1000	2500
9	6040XC365A	A 60 x 40 x 36.5 cm	3.3 kg	12 cm	60 68	600	1500	720	1800
10	6040XC412A	A 60 x 40 x 41.2 cm	3.5 kg	12.2 cm	56 65	560	1440	680	1720
11	6040XC462A	A 60 x 40 x 46.2 cm	3.7 kg	12.2 cm	56 65	560	1440	680	1720
12	7557XC625C	C 75 x 57 x 62.5 cm	8.1 kg	9.3 cm				459	1254

## VENTED CRATES

NEST - STACK



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	K52-2#	58 x 37 x 21 cm	1.5 kg	55 x 34 x 20 cm	1600	4000
2.1	K51-1#B	58.5 x 36.5 x 34 cm	2.3 kg	55.5 x 33.5 x 32.5 cm	1020	2500
2.2	K51-1#A	58.5 x 36.5 x 34 cm	2.5 kg	55.5 x 33.5 x 32.5 cm	1020	2500
3.1	Q24-1#	62.3 x 42.6 x 16.5 cm	1.28 kg	52.5 x 39.8 x 16 cm	2000	4800
3.2	Q24-2#	62.3 x 42.6 x 31.5 cm	2.2 kg	52.5 x 39.8 x 31 cm	1150	2850

## VENTED CRATES - STEEL HANDLE

NEST - STACK



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	K09-560	63 x 43 x 30 cm	1.85 kg	56 x 39 x 29.2 cm	1200	2945
2.1	K08-630B	68 x 47.8 x 36.5 cm	1.9 kg	63 x 43.8 x 35.5 cm	896	2244
2.2	K08-630A	68 x 47.8 x 36.5 cm	2.3 kg	63 x 43.8 x 35.5 cm	896	2244

## SOLID CRATES

## NEST - STACK



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	Q22-510	59 x 38.5 x 20 cm	1.9 kg	51 x 35 x 19 cm	1980	4560
2.1	Q23-1#	62.3 x 42.6 x 16.5 cm	1.55 kg	52.5 x 39.8 x 16 cm	2000	4800
2.2	Q23-2#	62.3 x 42.6 x 31.5 cm	2.36 kg	52.5 x 39.8 x 31 cm	1150	2850

## WATER CRATES

## NESTABLE



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	X25-50L	53.5 x 39 x 30 cm	1.35 kg	49.5 x 34.5 x 29.2 cm	2770	6080
2	X25-90L	69 x 47.5 x 37.5 cm	2.5 kg	64 x 42 x 35.5 cm	960	2380
L 3	X05-630	69.5 x 48 x 37 cm	2.95 kg	63 x 43.5 x 36 cm	896	2244
4	X25-160L	76 x 56 x 49.5 cm	4.7 kg	70 x 50 x 48.5 cm	670	1680
5	X25-200L	81.7 x 61 x 59 cm	5.5 kg	73 x 53 x 57.5 cm	441	1050
6	X25-300L	87.7 x 65.5 x 61.7 cm	6.8 kg	80 x 57.5 x 61 cm	360	897

## PLASTIC HANG AND SHELF BINS



NO	SKU	DIMENSIONS (CM)			WEIGHT	MATERIAL	LOADING CAPACITY	PCS/CTN	CTN SIZE (CM)	CBM
		L	W	H						
1	PK011N	110	105	50	0.050 kg	PP	3 kg	24	24 x 24 x 20	0.012
2	PK012N	140	105	75	0.075 kg	PP	3 kg	24	32 x 22 x 26	0.018
3	PK013N	190	105	75	0.075 kg	PP	4 kg	24	40 x 22 x 26	0.023
4	PK014N	220	140	125	0.125 kg	PP	10 kg	12	43 x 30 x 24	0.031
5	PK015N	270	140	125	0.125 kg	PP	10 kg	12	43 x 30 x 28	0.036



NO	SKU	DIMENSIONS (CM)			WEIGHT	MATERIAL	LOADING CAPACITY	PCS/CTN	CTN SIZE (CM)	CBM
		L	W	H						
1	PKS001	130	88	55	0.06 kg	PP	3 kg	50	45 x 15 x 43	0.029
2	PK001N	160	100	74	0.10 kg	PP	3 kg	50	54 x 18 x 57	0.055
3	PK006N	185	107	77	0.13 kg	PP	4 kg	64	49 x 39 x 49	0.094
4	PK002N	240	150	124	0.27 kg	PP	8 kg	36	51 x 50 x 55	0.140
5	PK007N	280	214	175	0.45 kg	PP	22 kg	16	22 x 28 x 18	0.011
6	PK003N	340	200	150	0.47 kg	PP	15 kg	18	65 x 36 x 68	0.159
7	PK021N	350	280	184	0.78 kg	PP	30 kg	8	62 x 37 x 60	0.138
8	PK008N	370	214	175	0.60 kg	PP	27 kg	8	49 x 39 x 52	0.099
9	PK010N	370	420	175	0.95 kg	PP	35 kg	4	46 x 39 x 53	0.095
10	PK022N	425	280	260	1.14 kg	PP	35 kg	8	64 x 46 x 90	0.265
11	PK004N	450	200	175	0.70 kg	PP	30 kg	12	66 x 47 x 56	0.174
12	PK005N	450	300	175	1.04 kg	PP	50 kg	8	66 x 47 x 56	0.174
13	PK023	450	365	180	1.10 kg	PP	35 kg	8	79 x 57 x 47	0.212
14	PK024	600	410	220	2.00 kg	PP	50 kg	8	88 x 64 x 71	0.400





[www.enlightening-plast.com](http://www.enlightening-plast.com)



[sales@cnplasticpallet.com](mailto:sales@cnplasticpallet.com)



0086 185 6061 6085

